Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015 Issue date: 2023-12-18 Revision date: 2023-12-18

Version: 1.0

SECTION 1: Identification

SECTION 1: Identification	
1.1. Identification	
Product form Product name Product code	 Mixture Glass Cleaning Tablets SDS 507
1.2. Recommended use and restrictions	s on use
Recommended use	: Glass cleaner
1.3. Supplier	
Distributor XeroTabs Inc. 101-2275 Upper Middle Rd. E P.O. Box L6H 0C3 Oakville, - CANADA T 905-491-6892 - F 905-491-6801 www.xerotabs.com	Distributor XeroTabs Inc. 360 Central Ave., Suite 800 Saint Petersburg, Florida United States, 33701 T 727-598-6841 www.xerotabs.com
1.4. Emergency telephone number	
Emergency number	: 905-491-6892 (8:00-17:00 EST)
SECTION 2: Hazard(s) identification	ז

2.1. Classification of the substance or mixture

GHS classification Skin Irrit. 2 Eye Irrit. 2A

2.2. GHS Label elements, including precautionary statements

GHS labelling

Hazard pictograms (GHS)

Signal word (GHS) Hazard statements (GHS)

Precautionary statements (GHS)

Warning
Causes skin irritation.
Causes serious eye irritation.
Causes serious eye irritation.
Wash hands thoroughly after handling.
If skin irritation occurs: Get medical advice/attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity

Not applicable

xer

xertabs

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Disodium carbonate	Disodium carbonate Sodium carbonate / Carbonic acid, disodium salt / Soda ash / Sodium carbonate (2:1) / Sodium carbonate, anhydrous / Carbonic acid sodium salt (1:2) / SODIUM CARBONATE / Sodium carbonate anhydrous	CAS-No.: 497-19-8	15 < 40
Alcohols, C16-18, ethoxylated	Alcohols, C16-18, ethoxylated C16-18 Alcohol reacted with 16 moles ethylene oxides / Polyethylene glycol monoalkyl(C16-18) ether	CAS-No.: 68439-49-6	10 < 30
Sulfonic acids, C14-16-alkane hydroxy and C14- 16-alkene, sodium salts	Sulfonic acids, C14-16-alkane hydroxy and C14-16- alkene, sodium salts Sulfonates, alkyl (C14-16) olefin, sodium salt / Sodium sulfonates, C14-16-alkane hydroxy and C14-16-alkene / Sodium (C14-16) olefin sulfonate / Sulphonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts / SODIUM C14-16 OLEFIN SULFONATE / Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts / Sodium C14-16 olefin sulfonate / Bio-terge AS- 40	CAS-No.: 68439-57-6	5 - 13

*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

: Not a normal route of exposure. If symptoms develop, remove to fresh air. Get medical attention if condition worsens.
: IF ON SKIN: Wash with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.
: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
: Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.
s (acute and delayed)
 Not expected to be a primary route of exposure. Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the skin. Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns. May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.

4.3. Immediate medical attention and special treatment, if necessary

Symptoms may be delayed. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Safety Data Sheet



According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

SECTION 5: Fire-fighting measures	
5.1. Suitable (and unsuitable) extinguishing n	nedia
	Carbon dioxide (CO2). Dry powder. Water spray. Do not use water jet.
5.2. Specific hazards arising from the chemic	al
Fire hazard :	Products of combustion may include, and are not limited to: oxides of carbon.
5.3. Special protective equipment and precau	tions for fire-fighters
Protection during firefighting :	Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).
SECTION 6: Accidental release measures	5
6.1. Personal precautions, protective equipme	ent and emergency procedures
General measures :	Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.
6.1.1. For non-emergency personnel	
No additional information available	
6.1.2. For emergency responders	
No additional information available	
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	
6.3. Methods and material for containment an	d cleaning up
For containment :	Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).
Methods for cleaning up :	Sweep or shovel spills into appropriate container for disposal. Provide ventilation.
6.4. Reference to other sections	
For further information refer to section 8: "Exposure con	ntrols/personal protection".

SECTION 7: Handling and stora	ige
7.1. Precautions for safe handling	
Precautions for safe handling	: Avoid contact with skin and eyes. Do not swallow. Handle and open container with care. When using do not eat, drink or smoke.
Hygiene measures	: Wash contaminated clothing before reuse. Always wash hands after handling the product.
7.2. Conditions for safe storage, in	cluding any incompatibilities
Storage conditions	: Keep out of the reach of children. Keep container tightly closed. Store in a dry, cool and well- ventilated place. Store locked up.

xertabs

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

		-		
SECTION 8: Exposu	ire controls/persona	al protection		
8.1. Control paramete	rs			
Glass Cleaning Table	ts			
No additional information	available			
Disodium carbonate ((497-19-8)			
No additional information	available			
Sulfonic acids, C14-1	6-alkane hydroxy and	C14-16-alkene, sodiu	m salts (68439-57-6)	
No additional information	available			
Alcohols, C16-18, eth	oxylated (68439-49-6)			
No additional information	available			
8.2. Appropriate engir	neering controls			
Appropriate engineering co	ontrols	0	n of the work station. Provide readil	ly accessible eye wash stations and
		: Ensure good ventilatio safety showers.: Avoid release to the er		ly accessible eye wash stations and
Environmental exposure co		safety showers. : Avoid release to the er	nvironment.	ly accessible eye wash stations and
Environmental exposure co	ontrols	safety showers. : Avoid release to the er	nvironment.	ly accessible eye wash stations and
Appropriate engineering co Environmental exposure co 8.3. Individual protect Hand protection: None necessary under no	ontrols ion measures/Persona	safety showers. : Avoid release to the er	nvironment.	ly accessible eye wash stations and
Environmental exposure constraints and protect Hand protection:	ontrols ion measures/Persona	safety showers. : Avoid release to the er	nvironment.	Penetration
Environmental exposure co 3.3. Individual protect Hand protection: None necessary under no	ion measures/Persona	safety showers. : Avoid release to the er al protective equipme	nvironment. nt	
Environmental exposure co 3.3. Individual protect Hand protection: None necessary under no Type Disposable gloves,	ion measures/Persona rrmal conditions of use.	safety showers. : Avoid release to the er al protective equipme	nvironment. nt Thickness (mm)	
Environmental exposure contracts and protection: Hand protection: None necessary under not Type Disposable gloves, Reusable gloves Eye protection:	ion measures/Persona rmal conditions of use. Material Nitrile rubber (NBR)	safety showers. : Avoid release to the er al protective equipme	nvironment. nt Thickness (mm)	
invironmental exposure co 3.3. Individual protect Hand protection: None necessary under no Type Disposable gloves, Reusable gloves Eye protection: None necessary under no	ion measures/Persona rmal conditions of use. Material Nitrile rubber (NBR) rmal conditions of use.	safety showers. : Avoid release to the er al protective equipme	nvironment. nt Thickness (mm)	
Environmental exposure co 3.3. Individual protect Hand protection: None necessary under no Type Disposable gloves, Reusable gloves	ion measures/Persona irmal conditions of use. Material Nitrile rubber (NBR)	safety showers. : Avoid release to the er al protective equipme	nvironment. nt Thickness (mm)	
invironmental exposure co 3.3. Individual protect Hand protection: None necessary under no Type Disposable gloves, Reusable gloves Eye protection: None necessary under no Skin and body protectio	ion measures/Persona irmal conditions of use. Material Nitrile rubber (NBR)	safety showers. : Avoid release to the er al protective equipme	nvironment. nt Thickness (mm)	

SECTION 9: Physical and chemical properties 9.1. Information on basic physical and chemical properties Physical state : Solid Appearance : Tablets. Colour : Blue : Yes Odour Odour threshold : Not determined : 6 pН pH solution concentration : 1%

Safety Data Sheet

xertabs

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not applicable
Relative evaporation rate (butylacetate=1)	: No data available
Flammability	: Not flammable.
Vapour pressure	: Not applicable
Relative vapour density at 20°C / 68 °F	: No data available
Relative density	: No data available
Solubility	: Water: Easily soluble
Partition coefficient n-octanol/water	: No data available
Auto-ignition temperature	: product is not self igniting
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosive limits	: No data available
Explosive properties	: Product does not present an explosion hazard.
Oxidising properties	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No dangerous reactions known under normal conditions of use.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Heat. Incompatible materials.

10.5. Incompatible materials

Strong oxidizers.

10.6. Hazardous decomposition products

May include, and are not limited to: oxides of carbon.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (dermal) :	Not classified. Not classified. Not classified.
Disodium carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg bodyweight Animal: rat

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

D50 dermal rabbit > 2000 mg/kg ATE CA (oral) 2800 mg/kg bodyweight Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) 2200 mg/kg LD50 dermal rabbit > 740 mg/kg LD50 inhalation rat > 52 mg/ air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) ATE CA (oral) 2220 mg/kg bodyweight Alcohols, C16-18, ethoxylated (68439-49-6) LD50 oral rat LD50 oral rat 1260 mg/kg bodyweight Alcohols, C16-18, ethoxylated (68439-49-6) LD60 mg/kg bodyweight LD50 oral rat 1260 mg/kg bodyweight ATE CA (oral) 1280 mg/kg bodyweight Kinc corrosion/irritation : Causes skin irritation. pH: 6 Gauses sterious eye irritation. pH: 6 Causes sterious eye irritation. pH: 6 Sulfonic acids, C14-16-alkene hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male Sulfonic acids, C14-16-alkene hydroxy and C14-16-alkene, sodium salts (68439-57-6) 2105 mg/kg bodyweight Animal: rat, Animal sex: female NOAEL (chronic, oral, animal/male, 2 years) ≥ 29 mg/kg bodyweight Animal: rat, Animal sex: female teproductive toxicity<	Disodium carbonate (497-19-8)	
THE CA (oral) 2800 mg/kg bodyweight Stuifonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) LD50 oral rat 2220 mg/kg LD50 dermal rabbit > 740 mg/kg LC50 inhalation rat > 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) ATE CA (oral) 2220 mg/kg bodyweight Alcohols, C16-18, ethoxylated (68439-49-6) LD50 oral rat LD50 oral rat 1260 mg/kg ATE CA (oral) 1260 mg/kg bit or orsion/irritation : Causes skin irritation. pH: 6 Ease serious eye irritation. pH: 6 Suifonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) > 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/male, 2 years) > 259 mg/kg bodyweight Animal: rat, Animal sex: female toTor-rispet exposure : Not classified. spiration hazard : Not classified. Signation hazard : Not classified.	· · · · · · · · · · · · · · · · · · ·	> 2000 mg/kg
Suitonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) LD50 oral rat 2220 mg/kg LD50 dermal rabbit > 740 mg/kg LC50 inhalation rat > 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) ATE CA (oral) 2220 mg/kg bodyweight Alcohols, C16-18, ethoxylated (68439-49-6) 2220 mg/kg bodyweight LD50 oral rat 1260 mg/kg ATE CA (oral) 1260 mg/kg bodyweight kin corrosion/irritation : Causes skin irritation. pH: 6 : Causes serious eye irritation. berious eye damage/irritation : Causes serious eye irritation. pH: 6 : Causes serious eye irritation. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/remale, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/remale, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/remale, 2 years) > 259 mg/kg bodyweig		
LD50 oral rat 2220 mg/kg LD50 dermal rabbit > 740 mg/kg LD50 dermal rabbit > 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) ATE CA (oral) 2220 mg/kg bodyweight Alcohols, C16-18, ethoxylated (68439-49-6) 2220 mg/kg bodyweight Alcohols, C16-18, ethoxylated (68439-49-6) 1260 mg/kg D50 oral rat 1260 mg/kg ATE CA (oral) 1260 mg/kg bodyweight Skin corrosion/irritation : Causes skin irritation. pH: 6 : Causes serious eye irritation. pH: 6 : Causes serious eye irritation. pH: 6 : Causes serious eye irritation. serin cell mutagenicity : Not classified. arcinopenicity : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: female Storot-single exposure : Not classified. Storot-single exposure : Not classified. Storot-single exposure : Not classified. Glass Cleaning Tablets	ATE CA (oral)	2800 mg/kg bodyweight
LD50 dermal rabbit > 740 mg/kg LD50 dermal rabbit > 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) AICohols, C16-18, ethoxylated (68439-49-6) 2220 mg/kg bodyweight LD50 oral rat 1260 mg/kg AIcohols, C16-18, ethoxylated (68439-49-6) 1260 mg/kg LD50 oral rat 1260 mg/kg bodyweight Ait corrosion/irritation : Causes skin irritation. pH: 6 : Causes serious eye irritation. iserious eye damage/irritation : Causes serious eye irritation. pH: 6 : Causes serious eye irritation. serio call mutagenicity : Not classified. Sufforic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: female terroregeted exposure : Not classified. STOT-repeated exposure : Not classified. Glass Cleaning Tablets : Not explicable Viscosity, kinematic : Not explicable Symptoms/effects after inhalation : Not explicable Symptoms/effects after inhalation : Not ex	Sulfonic acids, C14-16-alkane hydroxy and	l C14-16-alkene, sodium salts (68439-57-6)
LC50 inhalation rat > 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity) ATE CA (oral) 2220 mg/kg bodyweight Alcohols, C16-18, ethoxylated (68439-49-0) 1260 mg/kg LD50 oral rat 1260 mg/kg bodyweight ATE CA (oral) 1260 mg/kg bodyweight kin corrosion/irritation : Causes skin irritation. pH: 6 : Causes serious eye initation. berious eye damage/irritation : Causes serious eye initation. pH: 6 : Out classified. Serious eye damage/irritation : Not classified. Serious eye damage/irritation : Not classified. Serious eye damage/irritation : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) > 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) > 259 mg/kg bodyweight Animal: rat, Animal sex: female STOT-riepeated exposure : Not classified. STOT-riepeated exposure : Not classified. Glass Cleaning Tablets Viscosity, kinematic Viscosity, kinematic Not applicable Symptoms/effects after inhalation : Not expected to b	LD50 oral rat	2220 mg/kg
ATE CA (oral) 2220 mg/kg bodyweight Alcohols, C16-18, ethoxylated (68439-49-6) 1260 mg/kg LD50 oral rat 1260 mg/kg bodyweight ATE CA (oral) 1260 mg/kg bodyweight kin corrosion/irritation causes skin irritation. pH: 6 causes skin irritation. berious eye damage/irritation : Causes serious eye irritation. pH: 6 causes skin irritation. Serm cell mutagenicity : Not classified. Sarcinogenicity : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female STOT-single exposure : Not classified. STOT-single exposure : Not classified. Glass Cleaning Tablets Viscosity, kinematic Viscosity, kinematic Not applicable Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after ingestion : Not expected to be a primary route of exposure. Symptoms/effects after induation : Causes skin iritation. Symptoms m	LD50 dermal rabbit	> 740 mg/kg
Alcohols, C16-18, ethoxylated (68439-49-6) LD50 oral rat 1260 mg/kg bodyweight ATE CA (oral) 1260 mg/kg bodyweight skin corrosion/irritation : Causes skin irritation. pH: 6 : Serious eye damage/irritation serious eye damage/irritation : Causes serious eye irritation. pH: 6 : Not classified. serious eye damage/irritation : Not classified. serion call mutagenicity : Not classified. Sarcinogenicity : Not classified. Suffonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/male, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female Reproductive toxicity : Not classified. STOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after eye contact : Causes skin intritation. Symptoms may include redness, drying, defatting and cracking of the conjunctiva. May cause burns. <td>LC50 inhalation rat</td> <td>> 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)</td>	LC50 inhalation rat	> 52 mg/l air Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
LD50 oral rat 1260 mg/kg ATE CA (oral) 1260 mg/kg bodyweight ikin corrosion/irritation : Causes skin irritation. pH: 6 6 berious eye damage/irritation : Causes serious eye irritation. pH: 6 6 despiratory or skin sensitisation : Not classified. Serm cell mutagenicity : Not classified. Carcinogenicity : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/male, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female Reproductive toxicity : Not classified. STOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. Strogenity, kinematic Not apslicable Viscosity, kinematic Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Causes serious eye damage. Symptoms may include redness, drying, defatting and cracking of the conjunctiva. May cause burns. Symptoms/effects after inhe	ATE CA (oral)	2220 mg/kg bodyweight
ATE CA (oral) 1260 mg/kg bodyweight skin corrosion/irritation : Causes skin irritation. pH: 6 : Causes serious eye irritation. Beerious eye damage/irritation : Causes serious eye irritation. pH: 6 : Causes serious eye irritation. Beern cell mutagenicity : Not classified. Serion cell mutagenicity : Not classified. Sarcinogenicity : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) > 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/meale, 2 years) > 195 mg/kg bodyweight Animal: rat, Animal sex: female Reproductive toxicity : Not classified. STOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. Symptoms/effects after inhalation : Not applicable Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Causes serious eye damage. Symptoms may inc	Alcohols, C16-18, ethoxylated (68439-49-6)	
kkin corrosion/irritation : Causes skin irritation. pH: 6 6 Serious eye damage/irritation : Causes serious eye irritation. pH: 6 6 Respiratory or skin sensitisation : Not classified. Serri cell mutagenicity : Not classified. Sarcinogenicity : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) NOAEL (chronic, oral, animal/male, 2 years) > 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) > 259 mg/kg bodyweight Animal: rat, Animal sex: female Reproductive toxicity : Not classified. STOT-single exposure : Not classified. STOT-repeated exposure : Not classified. StrOT-single exposure : Not classified. Viscosity, kinematic : Not classified. Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include redness, drying, defatting and cracking of the approduction, with marked redness and	LD50 oral rat	1260 mg/kg
Berious eye damage/irritation pH: 6 c Causes serious eye irritation. pH: 6 c Causes serious eye irritation. pH: 6 c Causes serious eye irritation. pH: 6 c Causes ified. Beepiratory or skin sensitisation : Not classified. Serm cell mutagenicity : Not classified. Sarcinogenicity : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female Rooped exposure : Not classified. StrOT-repeated exposure : Not classified. StroT-repeated exposure : Not classified. Glass Cleaning Tablets : Not classified. Viscosity, kinematic : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Causes serious eye damage. Symptoms may include redness, drying, defatting and cracking of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	ATE CA (oral)	1260 mg/kg bodyweight
Serious eye damage/irritation : Causes serious eye irritation. pH: 6 Respiratory or skin sensitisation : Not classified. Serm cell mutagenicity : Not classified. Caurogenicity : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NoAEL (chronic, oral, animal/male, 2 years) > > > NOAEL (chronic, oral, animal/male, 2 years) > > > > > > > Not classified. NOAEL (chronic, oral, animal/female, 2 years) > > > > > > > Not classified. NOAEL (chronic, oral, animal/female, 2 years) > > > > > > > Not classified. StTOT-single exposure : Not classified. . . Not classified. .	Skin corrosion/irritation	
Carcinogenicity : Not classified. Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female Reproductive toxicity : Not classified. STOT-single exposure : Not classified. STOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. Glass Cleaning Tablets Viscosity, kinematic Viscosity, kinematic Not applicable Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after skin contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking an tear production, with marked redness and swelling of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	Serious eye damage/irritation Respiratory or skin sensitisation	 Causes serious eye irritation. pH: 6 Not classified.
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts (68439-57-6) NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female Reproductive toxicity : Not classified. STOT-single exposure : Not classified. STOT-repeated exposure : Not classified. StoT-repeated exposure : Not classified. StoT-single exposure : Not classified. StoT-repeated exposure : Not classified. StoT-single exposure : Not classified. Stot single exposure : Not classified. Glass Cleaning Tablets : Causes kin irritation. Symptoms may include redness, drying, defatting and cracking of the Symptoms/effects after skin contact Symptoms/effects after eye contact : Causes serious eye da		
NOAEL (chronic, oral, animal/male, 2 years) ≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male NOAEL (chronic, oral, animal/female, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female Reproductive toxicity : Not classified. STOT-single exposure : Not classified. STOT-repeated exposure : Not classified. STOT-single exposure : Not classified. STOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. Story in the matrix : Not classified. Glass Cleaning Tablets : Viscosity, kinematic : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the Symptoms/effects after eye contact Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking an tear production, with marked redness and swelling of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if sw		
NOAEL (chronic, oral, animal/female, 2 years) ≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female Reproductive toxicity : Not classified. STOT-single exposure : Not classified. STOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. Strot-repeated exposure : Not classified. Strot-repeated exposure : Not classified. Glass Cleaning Tablets Viscosity, kinematic Viscosity, kinematic Not applicable Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after eye contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the causes serious eye damage. Symptoms may include discomfort or pain, excess blinking an tear production, with marked redness and swelling of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	Sulfonic acids, C14-16-alkane hydroxy and	l C14-16-alkene, sodium salts (68439-57-6)
Reproductive toxicity : Not classified. STOT-single exposure : Not classified. STOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. Stot : Not classified. Stot : Not classified. Stot : Not classified. Stot : Not classified. Glass Cleaning Tablets : Not applicable Viscosity, kinematic : Not expected to be a primary route of exposure. Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after eye contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	NOAEL (chronic, oral, animal/male, 2 years)	≥ 195 mg/kg bodyweight Animal: rat, Animal sex: male
BTOT-single exposure : Not classified. BTOT-repeated exposure : Not classified. STOT-repeated exposure : Not classified. Strain hazard : Not classified. Strain hazard : Not classified. Glass Cleaning Tablets Viscosity, kinematic Viscosity, kinematic Not applicable Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the Symptoms/effects after eye contact Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and cliarrhea.	NOAEL (chronic, oral, animal/female, 2 years)	≥ 259 mg/kg bodyweight Animal: rat, Animal sex: female
STOT-repeated exposure : Not classified. Aspiration hazard : Not classified. Glass Cleaning Tablets	Reproductive toxicity	: Not classified.
Aspiration hazard : Not classified. Glass Cleaning Tablets	STOT-single exposure	: Not classified.
Glass Cleaning Tablets Viscosity, kinematic Not applicable Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the conjunctiva. May cause blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	STOT-repeated exposure	: Not classified.
Viscosity, kinematic Not applicable Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	Aspiration hazard	: Not classified.
Symptoms/effects after inhalation : Not expected to be a primary route of exposure. Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	Glass Cleaning Tablets	
Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	Viscosity, kinematic	Not applicable
Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking an tear production, with marked redness and swelling of the conjunctiva. May cause burns. Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	Symptoms/effects after inhalation	: Not expected to be a primary route of exposure.
Symptoms/effects after ingestiontear production, with marked redness and swelling of the conjunctiva. May cause burns.Symptoms/effects after ingestion: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, drying, defatting and cracking of the sk
Symptoms/effects after ingestion : May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and diarrhea.	Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include discomfort or pain, excess blinking and
Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.	Symptoms/effects after ingestion	: May be harmful if swallowed. May cause gastrointestinal irritation, nausea, vomiting and
	Other information	: Likely routes of exposure: ingestion, inhalation, skin and eye.

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general :	May cause long-term adverse effects in the aquatic environment.
Disodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
LC50 - Fish [2]	310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])

xer

xertabs

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

According to the Hazard Communication Standard (CFR29 19	10.1200) Hazcom 2012 and the Hazardous Products Regulations (HPR) WHIMIS 2015
Disodium carbonate (497-19-8)	
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.
Sulfonic acids, C14-16-alkane hydroxy and C	14-16-alkene, sodium salts (68439-57-6)
LC50 - Fish [1]	4.2 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	4.53 mg/l Test organisms (species): Ceriodaphnia sp.
LC50 - Fish [2]	12.2 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
LOEC (chronic)	20 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	6.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
12.2. Persistence and degradability	
Glass Cleaning Tablets	
Persistence and degradability	Not established.
12.3. Bioaccumulative potential	
Glass Cleaning Tablets	
Bioaccumulative potential	Not established.
Disodium carbonate (497-19-8)	
BCF - Fish [1]	(no bioaccumulation)
Sulfonic acids, C14-16-alkane hydroxy and C	14-16-alkene, sodium salts (68439-57-6)
Partition coefficient n-octanol/water	-1.3 (at 20 °C (at pH 5.43)
12.4. Mobility in soil	
No additional information available	
12.5. Other adverse effects	
Other information :	No other effects known.
SECTION 13: Disposal considerations	
13.1. Disposal methods	
Product/Packaging disposal recommendations	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
SECTION 14: Transport information	
In accordance with DOT / TDG	
14.1. UN number	

Not regulated for transport

14.2. UN proper shipping name		
Proper Shipping Name (DOT) Proper Shipping Name (TDG)	: Not applicable : Not applicable	

Safety Data Sheet

xertabs

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

14.3. Transport hazard class(es)		
DOT Transport hazard class(es) (DOT)	: Not applicable	
TDG Transport hazard class(es) (TDG)	: Not applicable	
14.4. Packing group		
Packing group (DOT) Packing group (TDG)	: Not applicable : Not applicable	
14.5. Environmental hazards		
Other information	: No supplementary information available.	
14.6. Special precautions for user		
Special transport precautions	: Do not handle until all safety precautions have been read and understood.	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		

Not applicable

SECTION 15: Regulatory information

15.1 Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories except for:		
Acid Blue 182	CAS-No. 12219-26-0	

15.2. International regulations

No additional information available

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

According to the Hazard Communication Standard (C	CFR29 1910.1200) HazCom 2012 and the Haz	ardous Products Regulations (HPR) WHMIS 2015
Revision date	: 12/18/2023	
Other information	: None.	
Prepared by	: Nexreg Compliance Inc. www.Nexreg.com	N E X R E G

Full text of H-state	ements
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A

xertabs

Safety Data Sheet

According to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012 and the Hazardous Products Regulations (HPR) WHMIS 2015

Full text of H-statements	
Skin Irrit. 2	Skin corrosion/irritation, Category 2

SDS HazCom 2012 - WHMIS 2015 (Nexreg) 2023

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.